

 **JIABAO E-BIKE**



### [mens electric city bike2](#)

Electric system: Motor High speed brushless, 250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights LED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26" x 1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



### [mens electric city bike TDE03Z](#)

Electric system: Motor High speed brushless, 250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights LED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26" x 1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain.

Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

[mens electric bikeTDE04Z](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26" x 1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



## JIABAO E-BIKE



### [ladies electric city bike2](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26<sub>1</sub> x 1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

## JIABAO E-BIKE



### [folding e-bike TDN02Z](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: ZOOM brand Handle stem: Foldable, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear V or drum. Brake lever Aluminum alloy, cut-off when braking. Tires 20<sub>1</sub> x 2.125; 16X2.125 Rim aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank etc. All in

aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs; GW.28kgs / 16 inch NW.21kgs; GW.26kgs Package: 147\*26\*68cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



[electric mountain bike TDE01Z](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26<sub>1</sub> x 1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

## JIABAO E-BIKE



### [electric mountain bike TDE02Z](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26 $\frac{1}{2}$  x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

## JIABAO E-BIKE



### [alloy ladies electric bike](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26 $\frac{1}{2}$  x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options:

Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

[alloy ladies electric bicycle](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26j x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



www.electriclebikes.com

 **JIABAO E-BIKE**



[28inch electric city bike3](#)

Electric system: Motor High speed brushless, from 8FUN. -180-250W Battery 36V / 10 Ah Li-ion . - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 7 layers cartoon. Capacity: 80pcs/20ft container; 180pcs/40hq container.

 **JIABAO E-BIKE**



[28inch electric city bike2](#)

Electric system: Motor High speed brushless, from 8FUN. -180-250W Battery 36V / 10 Ah Li-ion . - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 7 layers cartoon. Capacity: 80pcs/20ft container; 180pcs/40hq container.

 **JIABAO E-BIKE**



### [28inch electric city bike1](#)

Electric system: Motor High speed brushless, from 8FUN. -180-250W Battery 36V / 10 Ah Li-ion . - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 7 layers cartoon. Capacity: 80pcs/20ft container; 180pcs/40hq container.

 **JIABAO E-BIKE**



### [20inch folding e-bikeTDN01Z](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: ZOOM brand Handle stem: Foldable, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear V or drum. Brake lever Aluminum alloy, cut-off when braking. Tires 20; 16 x2.125; 16X2.125 Rim aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs; GW.28kgs / 16 inch NW.21kgs; GW.26kgs Package: 147\*26\*68cm,7 layers



cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.



### 16inch alloy folding e-bike

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: ZOOM brand Handle stem: Foldable, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear V or drum. Brake lever Aluminum alloy, cut-off when braking. Tires 20<sub>1</sub> x 2.125; 16X2.125 Rim aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs; GW.28kgs / 16 inch NW.21kgs; GW.26kgs Package: 147\*26\*68cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

JIABAO E-Vehicle Co.,Ltd.

Add: No.399,Shicheng Street,Jinhua city,Zhejiang Province,China.

Contact: Jasmine Jia

Tel: +86-579-83236569

Fax: +86-579-89185890

E-mail:[sales@jb-electricbikes.com](mailto:sales@jb-electricbikes.com)

WebSite: <http://www.jb-electricbikes.com>