

[China Alloy frame electric bikes,cheap electric bikes,electric powered bikes,high power electric bikes,bike powered electricity Manufacturer, Supplier, Factory, Exporter in china](#)

 JIABAO E-BIKE



[mens electric city bike2](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26<sub>1</sub> x 1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

## JIABAO E-BIKE



### [mens electric city bike TDE03Z](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26 $\frac{1}{2}$  x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

## JIABAO E-BIKE



### [mens electric bikeTDE04Z](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26 $\frac{1}{2}$  x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options:

Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

[ladies electric city bike2](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26j j x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



## JIABAO E-BIKE



### [folding e-bike TDN02Z](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: ZOOM brand Handle stem: Foldable, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear V or drum. Brake lever Aluminum alloy, cut-off when braking. Tires 20 $\frac{1}{2}$  x2.125; 16X2.125 Rim aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs; GW.28kgs / 16 inch NW.21kgs; GW.26kgs Package: 147\*26\*68cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

## JIABAO E-BIKE



### [electric mountain bike TDE01Z](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26 $\frac{1}{2}$  x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack /

Chain wheel / Crank / Pedal etc. All in aluminum alloy.  
 Performance and Package: Max speed: 25-32km/h Mileage:  
 50-60kms per charge. Max load: 100kgs Weight: NW.  
 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers  
 cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq  
 container.

[electric mountain bike TDE02Z](#)

Electric system: Motor High speed brushless,250W-500W,  
 from 8FUN. -250W for Europe. -250W-  
 500W for USA & Canada. -200W for Australia. Battery  
 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah  
 LiFePO4. - with electric protection circuit. PAS 1:1 pedal  
 assistant system . Speed sensor. - Throttle available.  
 Controller 3 speed available LOW - MED - HIGH. Display  
 High quality display, match with controller. management  
 of the 3-speed, Pas system and LED lights. Lights L ED  
 light for front and rear. Charger AC  
 100V,240V, smart charger. Main components: Frame  
 6061# Aluminum alloy,light weight. Front fork Aluminum  
 alloy suspension, ZOOM brand Handle bar: Aluminum  
 alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM  
 brand Saddle Foldable or suspension, comfortable. Brake  
 Front Disc or V, Rear V Brake lever Aluminum alloy, cut-  
 off when braking. Tires KENDA brand, 26" x 1.75 Rim  
 Double wall aluminum alloy. Chain Rust resistant chain.  
 Derailleur SHIMANO TOURNEY, 6/7 speed  
 gears. SHIMANO NEXUS inner 3 available. Options:  
 Basket, Helmet. Speedmeter etc. Mudguard / Rear rack /  
 Chain wheel / Crank / Pedal etc. All in aluminum alloy.  
 Performance and Package: Max speed: 25-32km/h Mileage:  
 50-60kms per charge. Max load: 100kgs Weight: NW.  
 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers  
 cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq  
 container.

 **JIABAO E-BIKE**



## JIABAO E-BIKE



### [alloy ladies electric bike](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26 $\frac{1}{2}$  x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

## JIABAO E-BIKE



### [alloy ladies electric bicycle](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26 $\frac{1}{2}$  x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options:

Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



[28inch electric city bike3](#)

Electric system: Motor High speed brushless, from 8FUN. -180-250W Battery 36V / 10 Ah Li-ion . - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 7 layers cartoon. Capacity: 80pcs/20ft container; 180pcs/40hq container.

 **JIABAO E-BIKE**



[28inch electric city bike2](#)

Electric system: Motor High speed brushless, from 8FUN. -180-250W Battery 36V / 10 Ah Li-ion . - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc.

Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 7 layers cartoon. Capacity: 80pcs/20ft container; 180pcs/40hq container.

 JIABAO E-BIKE



### [28inch electric city bike1](#)

Electric system: Motor High speed brushless, from 8FUN. -180-250W Battery 36V / 10 Ah Li-ion . - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 7 layers cartoon. Capacity: 80pcs/20ft container; 180pcs/40hq container.

 JIABAO E-BIKE



### [20inch folding e-bikeTDN01Z](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: ZOOM brand Handle stem: Foldable, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear V or drum. Brake lever Aluminum alloy, cut-off when braking. Tires 20<sub>1</sub> x2.125; 16X2.125 Rim aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7

speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs; GW.28kgs / 16 inch NW.21kgs; GW.26kgs Package: 147\*26\*68cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

[16inch alloy folding e-bike](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: ZOOM brand Handle stem: Foldable, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear V or drum. Brake lever Aluminum alloy, cut-off when braking. Tires 20<sub>i</sub> - <sub>i</sub> x2.125; 16X2.125 Rim aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs; GW.28kgs / 16 inch NW.21kgs; GW.26kgs Package: 147\*26\*68cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.



[electric bikes](#),[electric bike](#) , [ebike bicycle](#) , [electric bikes type](#) , [electric mountain bikes](#),[mountain electric bikes](#) , [ebike motors](#) , [electric motor bicycles](#) , [kids electric motorbikes](#) , [electric city bikes](#),[ebike speed](#) , [city electric bikes](#) , [electric folding bikes](#),[folding ebike](#) , [folding electric bikes](#) , [folding electric mountain bike](#) , [fold electric bike](#) , [mens electric bikes](#),[mens electric bike](#) , [ladies electric bike](#),[ladies electric bikes](#) , [hot electric bikes](#),[step through motorbike](#) , [electric motor mini bikes](#) , [latest electric bikes](#),[heavy duty e-bike](#) , [latest electric motor bicycle](#) , [US standard electric bikes](#),[electric bikes US standard](#) , [EU standard electric bikes](#),[European Standard Electric Bikes](#) , [Electric bicycles Size](#),[Electric bicycles](#) , [bicycle electric](#) , [electric bicycle motors](#) , [16 hybrid electric bikes](#),[16" PAS electric hybrid bicycle](#) , [16" GAS electric hybrid bicycle](#) , [20 hybrid electric bikes](#),[20" PAS electric hybrid bicycle](#) , [20" GAS electric hybrid bicycle](#) , [24 hybrid electric bikes](#),[24" PAS electric hybrid bicycle](#) , [24" GAS electric hybrid bicycle](#) , [26 hybrid electric bikes](#),[26" PAS electric hybrid bicycle](#) , [26" GAS electric hybrid bicycle](#) , [28 hybrid electric bikes](#), Does not have the similar key word temporarily![electric bikes frame](#),[bicycle frames](#) , [Alloy frame electric bikes](#),[cheap electric bikes](#) , [electric powered bikes](#) , [high power electric bikes](#) , [bike powered electricity](#) , [steel frame electric bikes](#), Does not have the similar key word temporarily![steel plastic frame](#),[aluminum alloy light e-vehicle](#) , [electric bikes battery](#), Does not have the similar key word temporarily![Li-ion battery](#),[lead acid battery powered motorbikes](#) , [battery powered bikes](#) , [kids battery powered bikes](#) , [Li-Polymer battery](#),[high quality electric bikes](#) , [LiFepO4 battery](#),[lithium bike battery](#) , [SLA battery](#), Does not have the similar key word temporarily![electric bikes price](#),[above 500 dollar](#), Does not have the similar key word temporarily![400-500 dollar](#), Does not have the similar key word temporarily![300-400 dollar](#), Does not have the similar key word temporarily![200-300 dollar](#), Does not have the similar key word temporarily![Electric bike fittings](#),[mountain bike parts](#) , [Electric bike parts](#) , [electric moped](#) , [e-bike conversion kit](#),[electric assist bikes](#) , [ebike conversion kits](#) , [ebike kits](#) , [e-bike accessories](#),[ebike battery](#) , [ebike batteries](#) , [ebike charger](#) ,

[optional e-bike fittings](#),[e-bike fittings](#) , [Electric scooter bikes](#),[moped electric scooter bike](#) , [ebike scooter](#) , [electric ebike](#) , [electric scooters bikes](#) , [electric bikes scooters](#) , [36 Volt series](#),[12 volt battery](#) , [e bike 36 volt](#) , [36 volt ebike](#) , [36 volt bike](#) , [36 volt electric bike](#) , [48 Volt series](#),[48 volt bike](#) , [48 volt electric bike](#) , [crystalte 48 volt electric bike](#) , [Electric tricycle](#),[electric tricycles](#) , [folding electric tricycle](#) , [adult electric tricycle](#) , [electric recumbent tricycle](#) , [electric Pedicabs](#),[electric tricycle pedicab](#) , [electric tricycle pedicab trike](#) , [leisure series](#),[leisure series bike](#) , [freight series](#),[freight series bikes](#) , [Electric motorbikes](#),[ebike motors](#) , [electric motor bikes](#) , [ebike motor](#) , [kids electric motorbikes](#) ,

---

JIABAO E-Vehicle Co.,Ltd.

Add: No.399,Shicheng Street,Jinhua city,Zhejiang Province,China.

Contact: Miss Ivy Wang

Tel: +86-579-83236566

Fax: +86-579-83236569

E-mail:[sales@jb-electricbikes.com](mailto:sales@jb-electricbikes.com)

WebSite: <http://www.jb-electricbikes.com>

---