

 **JIABAO E-BIKE**



[womens electric city bike](#)

Electric system: Motor

High speed brushless, 250W Battery 36V / 12 Ah Lead-Acid battery. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Lights front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame Stainless steel and plastic Front fork Suspension, Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear drum Brake lever Aluminum alloy, cut-off when braking. Tires 26"x1.75 Rim Aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO 6 speed gears. Options: Basket, Tail box, Helmet. Speedmeter etc. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 38kgs; GW. 45kgs Package: 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



[mens electric city bike](#)

Electric system: Motor

High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights LED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem:

Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake Lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm, 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container.

### 28 inch electric city bike

Electric system: Motor High speed brushless, from 8FUN. -180-250W Battery 36V / 10 Ah Li-ion. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights LED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear Roller. Brake Lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 7 layers carton. Capacity: 80pcs/20ft container; 180pcs/40hq container.

 **JIABAO E-BIKE**



## JIABAO E-BIKE



### 26 inch electric city bike

Electric system: Motor

High speed brushless, 250W-500W, from 8FUN. -  
250W for Europe. -250W-

500W for USA & Canada. -200W for Australia.

Battery 36V / 10 Ah to 16Ah Li-ion or Li -  
Polymer. -36V / 10 Ah LiFePO4. - with

electric protection circuit. PAS 1:1 pedal  
assistant system . Speed sensor. - Throttle

available. Controller 3 speed available LOW -  
MED - HIGH. Display High quality display, match

with controller. management of the 3-speed,  
Pas system and LED lights. Lights L ED light for

front and rear. Charger AC

100V, 240V, smart charger. Main components: Frame

6061# Aluminum alloy, light weight. Front fork

Aluminum alloy suspension, ZOOM brand Handle

bar: Aluminum alloy, ZOOM brand Handle stem:

Aluminum alloy, ZOOM brand Saddle Foldable or  
suspension, comfortable. Brake Front Disc or V,

Rear V Brake lever Aluminum alloy, cut-off when  
braking. Tires KENDA brand, 26"x1.75 Rim Double

wall aluminum alloy. Chain Rust resistant chain.  
Derailleur SHIMANO TOURNEY, 6/7 speed

gears. SHIMANO NEXUS inner 3 available.

Options: Basket, Helmet. Speedmeter etc.

Mudguard / Rear rack / Chain wheel / Crank /  
Pedal etc. All in aluminum alloy. Performance

and Package: Max speed: 25-32km/h Mileage: 50-  
60kms per charge. Max load: 100kgs Weight: NW.

25kgs; GW. 30kgs Package: 147\*26\*74cm, 7 layers  
cartoon. Capacity: 98pcs/20ft container;

216pcs/40hq container.

 **JIABAO E-BIKE**



[28 inch front drive city bike](#)

Product Model: TDB03Z Electric system: Motor High speed brushless, from 8FUN. -180-250W Battery 36V / 10 Ah Li-ion . - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC

100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 7 layers cartoon. Capacity: 80pcs/20ft container; 180pcs/40hq container. Partial feature article

 **JIABAO E-BIKE**



[28 inch NEXUS 3 city bike](#)

Electric system: Motor High speed brushless, from 8FUN. -180-250W Battery 36V / 10 Ah Li-ion . - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or

suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 7 layers cartoon. Capacity: 80pcs/20ft container; 180pcs/40hq container.

### [male city electric bike](#)

Product Model: JB-TDE01Z-city Electric system: Motor High speed brushless, 250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights LED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm, 7 layers

 **JIABAO E-BIKE**



[www.jb-electricbikes.com](http://www.jb-electricbikes.com)

cartoon. Capacity: 98pcs/20ft container;  
216pcs/40hq container. Partial feature article

[male electric city bike](#)

Product Model: JB-TDE04Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights LED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake Lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.





### [nexus 3 speeds electric city bike](#)

Product Model: JB-TDF01Z-NEXUS 3 Electric system: Motor High speed brushless, from 8FUN. - 250W front drive motor. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights LED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar/stem Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy Options: Basket, Helmet. Speedmeter etc. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article



### classic electric city bicycle

Product Model: JB-TDF03Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFeP04. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



### Aluminum alloy frame electric city bike

Product Model: JB-TDF01Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-

500W for USA & Canada. -200W for Australia.

Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFeP04. - with

electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW -

MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC

100V, 240V, smart charger. Main components: Frame

6061# Aluminum alloy, light weight. Front fork

Aluminum alloy suspension, ZOOM brand Handle

bar: Aluminum alloy, ZOOM brand Handle stem:

Aluminum alloy, ZOOM brand Saddle Foldable or

suspension, comfortable. Brake Front Disc or V,

Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain.

Derailleur SHIMANO TOURNEY, 6/7 speed

gears. SHIMANO NEXUS inner 3 available.

Options: Basket, Helmet. Speedmeter etc.

Mudguard / Rear rack / Chain wheel / Crank /

Pedal etc. All in aluminum alloy. Performance

and Package: Max speed: 25-32km/h Mileage: 50-

60kms per charge. Max load: 100kgs Weight: NW.

25kgs; GW. 30kgs Package: 147\*26\*74cm, 7 layers

cartoon. Capacity: 98pcs/20ft container;

216pcs/40hq container.

## JIABAO E-BIKE



### [electric city bicycle](#)

Product Model: JB-TDF01Z Electric system: Motor High speed brushless, 250W Battery 36V / 12 Ah Lead-Acid battery. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Lights front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame Stainless steel. Saddle Foldable, comfortable. Brake Front V, Rear drum. Brake lever Aluminum alloy, cut-off when braking. Tires 24"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO, 6 speed gears. Options: Basket, tail box, Helmet. Speedmeter etc. Performance and Package: Max speed: 25-32km/h Mileage: 40kms per charge. Max load: 100kgs Weight: NW. 38kgs; GW. 45kgs Package: 147\*26\*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article

## JIABAO E-BIKE



### [step-through electric city bike](#)

Product Model: JB-TDF02Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights LED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed

gears. SHIMANO NEXUS inner 3 available.  
 Options: Basket, Helmet. Speedmeter etc.  
 Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article

 **JIABAO E-BIKE**



[Ladies electric city bike](#)

Product Model: JB-TDH01Z Electric system: Motor High speed brushless, 250W Battery 36V / 12 Ah Lead-Acid battery. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Lights front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame Stainless steel. Saddle Foldable, comfortable. Brake Front V, Rear drum. Brake lever Aluminum alloy, cut-off when braking. Tires 24"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO, 6 speed gears. Options: Basket, tail box, Helmet. Speedmeter etc. Performance and Package: Max speed: 25-32km/h Mileage: 40kms per charge. Max load: 100kgs Weight: NW. 38kgs; GW. 45kgs Package: 147\*26\*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

[steel frame electric city bike](#)

Product Model: JB-TDH02Z Electric system: Motor High speed brushless, 250W Battery 36V / 12 Ah Lead-Acid battery. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Lights front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame Stainless steel. Saddle Foldable, comfortable. Brake Front V, Rear drum. Brake lever Aluminum alloy, cut-off when braking. Tires 24"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO, 6 speed gears. Options: Basket, tail box, Helmet. Speedmeter



etc. Performance and Package: Max speed: 25-32km/h Mileage: 40kms per charge. Max load: 100kgs Weight: NW. 38kgs; GW. 45kgs Package: 147\*26\*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

[Light weight ladies electric bicycle](#)

Product Model: JB-TDF03Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147\*26\*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



[electric bikes](#), [electric bike](#), [ebike bicycle](#), [electric bikes type](#), [electric mountain bikes](#), [mountain electric bikes](#), [ebike motors](#), [electric motor bicycles](#), [kids electric motorbikes](#), [electric city bikes](#), [ebike speed](#), [city electric bikes](#), [electric folding bikes](#), [folding ebike](#), [folding electric bikes](#), [folding electric mountain bike](#), [fold electric bike](#), [mens electric bikes](#), [mens electric bike](#), [ladies electric bike](#), [ladies electric bikes](#), [hot electric bikes](#), [step through motorbike](#), [electric motor mini bikes](#), [latest electric bikes](#), [heavy duty e-bike](#), [latest electric motor bicycle](#), [US standard electric bikes](#), [electric bikes US standard](#), [EU standard electric bikes](#), [European Standard Electric Bikes](#), [Electric bicycles Size](#), [Electric bicycles](#), [bicycle electric](#), [electric bicycle motors](#), [16](#)

[hybrid electric bikes](#), [16" PAS electric hybrid bicycle](#) , [16" GAS electric hybrid bicycle](#) , [20 hybrid electric bikes](#), [20" PAS electric hybrid bicycle](#) , [20" GAS electric hybrid bicycle](#) , [24 hybrid electric bikes](#), [24" PAS electric hybrid bicycle](#) , [24" GAS electric hybrid bicycle](#) , [26 hybrid electric bikes](#), [26" PAS electric hybrid bicycle](#) , [26" GAS electric hybrid bicycle](#) , [28 hybrid electric bikes](#), Does not have the similar key word temporarily! [electric bikes frame](#), [bicycle frames](#) , [Alloy frame electric bikes](#), [cheap electric bikes](#) , [electric powered bikes](#) , [high power electric bikes](#) , [bike powered electricity](#) , [steel frame electric bikes](#), Does not have the similar key word temporarily! [steel plastic frame](#), [aluminum alloy light e-vehicle](#) , [electric bikes battery](#), Does not have the similar key word temporarily! [Li-ion battery](#), [lead acid battery powered motorbikes](#) , [battery powered bikes](#) , [kids battery powered bikes](#) , [Li-Polymer battery](#), [high quality electric bikes](#) , [LiFepO4 battery](#), [lithium bike battery](#) , [SLA battery](#), Does not have the similar key word temporarily! [electric bikes price](#), [above 500 dollar](#), Does not have the similar key word temporarily! [400-500 dollar](#), Does not have the similar key word temporarily! [300-400 dollar](#), Does not have the similar key word temporarily! [200-300 dollar](#), Does not have the similar key word temporarily! [Electric bike fittings](#), [mountain bike parts](#) , [Electric bike parts](#) , [electric moped](#) , [e-bike conversion kit](#), [electric assist bikes](#) , [ebike conversion kits](#) , [ebike kits](#) , [e-bike accessories](#), [ebike battery](#) , [ebike batteries](#) , [ebike charger](#) , [optional e-bike fittings](#), [e-bike fittings](#) , [Electric scooter bikes](#), [moped electric scooter bike](#) , [ebike scooter](#) , [electric ebike](#) , [electric scooters bikes](#) , [electric bikes scooters](#) , [36 Volt series](#), [12 volt battery](#) , [e bike 36 volt](#) , [36 volt ebike](#) , [36 volt bike](#) , [36 volt electric bike](#) , [48 Volt series](#), [48 volt bike](#) , [48 volt electric bike](#) , [crystalite 48 volt electric bike](#) , [Electric tricycle](#), [electric tricycles](#) , [folding electric tricycle](#) , [adult electric tricycle](#) , [electric recumbent tricycle](#) , [electric Pedicabs](#), [electric tricycle pedicab](#) , [electric tricycle pedicab trike](#) , [leisure series](#), [leisure series bike](#) , [freight series](#), [freight series bikes](#) , [Electric motorbikes](#), [ebike motors](#) , [electric motor bikes](#) , [ebike motor](#) , [kids electric motorbikes](#) ,

---

JIABAO E-Vehicle Co., Ltd.

Add: No. 399, Shicheng Street, Jinhua city, Zhejiang Province, China.

Contact: Miss Ivy Wang

Tel: 579-83236566

Fax: 579-83236569

E-mail: [sales@jb-electricbikes.com](mailto:sales@jb-electricbikes.com)

Website: <http://www.jb-electricbikes.com>

---