



21 gears electric bike

Product Model: JB-TDB03Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah Li-Polymer. Panasonic battery available. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller Intelligent brushless controller. Display Multi-function J-LCD display, match with controller. 5 levels of PAS, speed, mileage, light, error showing etc. Lights LED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension with lock, SUNTOUR brand. Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, height adjustable with quick release. Saddle VELO brand with gel, comfortable. Brake Front/Rear Tektro Disc. Brake lever Tektro brand, cut-off when braking. Tires KENDA brand, 26"x1.95, with reflective strip. Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO ALIVIO, 18/21 speed gears. Options: Basket, Helmet. Speedmeter etc. Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article

 **JIABAO E-BIKE**



SHIMANO NEXUS-8 electric city bike

Product Model: JB-TDB02Z Electric system: Motor High speed brushless, front 250W, from 8FUN. Battery 36V / 10 Ah Li-ion or Li-Polymer. Panasonic battery available. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller Intelligent brushless controller. Display Multi-function J-LCD display, match with controller. 5 levels of PAS, speed, mileage, time etc. Lights LED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension with lock, SUNTOUR brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, height adjustment with quick release. Saddle VELO brand with gel, comfortable. Brake Front Tektro V, Rear roller or coaster. Brake lever Tektro brand, cut-off when braking. Tires KENDA brand, 26"x1.95 with reflective strip. Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS-3/7/8 speed inner gears. Options: Basket, Helmet. Speedmeter etc. Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article



electric city bike TDE03Z

Product Model: JB-TDE03Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front/Rear ZOOM Disc (Tektro Novela available). Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



[electric city bike TDF05Z](#)

Product Model: JB-TDF05Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah, 12Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front ZOOM Disc, Rear Tektro V (Tektro Disc available) Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



[electric city bike TDF04Z](#)

Product Model: JB-TDF01Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah, 12Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights LED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, TGS brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front ZOOM Disc, Rear Tektro V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container.



www.jb-electricbikes.com



JB-TDF03Z

[electric city bike TDF03Z](#)

Product Model: JB-TDF03Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front ZOOM Disc, Rear Tektro V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.



electric city bike TDF02Z

Product Model: JB-TDF02Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container.



electric city bike TDF01Z

Product Model: JB-TDF01Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.



[electric city bike TDE08Z](#)

Product Model: JB-TDE08Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



JB-TDE07Z

[electric city bike TDE07Z](#)

Product Model: JB-TDE07Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



[electric city bike TDE04Z](#)

Product Model: JB-TDE04Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.



700C electric city bike

Product Model: JB-TDB01Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

JIABAO E-BIKE



womens electric city bike

Electric system: Motor

High speed brushless, 250W Battery 36V / 12 Ah Lead-Acid battery. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Lights front and rear. Charger AC 100V,240V, smart charger. Main components: Frame Stainless steel and plastic Front fork Suspension, Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear drum Brake lever Aluminum alloy, cut-off when braking. Tires 26"x1.75 Rim Aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO 6 speed gears. Options: Basket, Tail box, Helmet. Speedmeter etc. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 38kgs; GW. 45kgs Package: 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

JIABAO E-BIKE



mens electric city bike

Electric system: Motor

High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain.

Derailleur SHIMANO TOURNEY, 6/7 speed gears.
 Options: Basket, Helmet. Speedmeter etc.
 Mudguard / Rear rack / Chain wheel / Crank /
 Pedal etc. All in aluminum alloy. Performance
 and Package: Max speed: 25-32km/h Mileage: 50-
 60kms per charge. Max load: 100kgs Weight: NW.
 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers
 cartoon. Capacity: 98pcs/20ft container;
 216pcs/40hq container.

[28 inch electric city bike](#)

Electric system: Motor High speed brushless,
 from 8FUN. -180-250W Battery 36V / 10 Ah Li-
 ion . - with electric protection circuit. PAS
 1:1 pedal assistant system . Speed sensor. -
 Throttle available. Controller 3 speed available
 LOW - MED - HIGH. Display High quality display,
 match with controller. management of the 3-
 speed, Pas system and LED lights. Lights L ED
 light for front and rear. Charger AC
 100V, 240V, smart charger. Main components: Frame
 6061# Aluminum alloy, light weight. Front fork
 Aluminum alloy suspension, ZOOM brand Handle
 bar: Aluminum alloy, ZOOM brand Handle stem:
 Aluminum alloy, ZOOM brand Saddle Foldable or
 suspension, comfortable. Brake Front V, Rear
 Roller. Brake lever Aluminum alloy, cut-off when
 braking. Tires KENDA brand, 700x45 Rim Double
 wall aluminum alloy. Chain Rust resistant chain.
 Derailleur SHIMANO NEXUS inner 3 available.
 Options: Basket, Helmet. Speedmeter etc.
 Mudguard / Rear rack / Chain wheel / Crank /
 Pedal etc. All in aluminum alloy. Performance
 and Package: Max speed: 25-32km/h Mileage: 50-
 60kms per charge. Max load: 100kgs Weight: NW.
 25kgs; GW. 30kgs Package: 7 layers cartoon.
 Capacity: 80pcs/20ft container; 180pcs/40hq
 container.

 **JIABAO E-BIKE**



www.jiabaoelectricbikes.com

JIABAO E-BIKE



26 inch electric city bike

Electric system: Motor

High speed brushless, 250W-500W, from 8FUN. -
250W for Europe. -250W-

500W for USA & Canada. -200W for Australia.

Battery 36V / 10 Ah to 16Ah Li-ion or Li-
Polymer. -36V / 10 Ah LiFePO4. - with

electric protection circuit. PAS 1:1 pedal
assistant system. Speed sensor. - Throttle

available. Controller 3 speed available LOW -
MED - HIGH. Display High quality display, match

with controller. management of the 3-speed,
Pas system and LED lights. Lights L ED light for

front and rear. Charger AC

100V, 240V, smart charger. Main components: Frame

6061# Aluminum alloy, light weight. Front fork

Aluminum alloy suspension, ZOOM brand Handle

bar: Aluminum alloy, ZOOM brand Handle stem:

Aluminum alloy, ZOOM brand Saddle Foldable or

suspension, comfortable. Brake Front Disc or V,

Rear V Brake lever Aluminum alloy, cut-off when

braking. Tires KENDA brand, 26"x1.75 Rim Double

wall aluminum alloy. Chain Rust resistant chain.

Derailleur SHIMANO TOURNEY, 6/7 speed

gears. SHIMANO NEXUS inner 3 available.

Options: Basket, Helmet. Speedmeter etc.

Mudguard / Rear rack / Chain wheel / Crank /

Pedal etc. All in aluminum alloy. Performance

and Package: Max speed: 25-32km/h Mileage: 50-

60kms per charge. Max load: 100kgs Weight: NW.

25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers

cartoon. Capacity: 98pcs/20ft container;

216pcs/40hq container.

JIABAO E-BIKE



28 inch front drive city bike

Product Model:TDB03Z Electric system: Motor High speed brushless, from 8FUN. -180-250W Battery 36V / 10 Ah Li-ion . - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC

100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 7 layers cartoon. Capacity: 80pcs/20ft container; 180pcs/40hq container.Partial feature article



www.jb-electricbikes.com



JB-TDB03Z

28 inch NEXUS 3 city bike

Electric system: MotorHigh speed brushless, from 8FUN. -180-250W Battery36V / 10 Ah Li-ion . - with electric protection circuit. PAS1:1 pedal assistant system . Speed sensor. - Throttle available. Controller3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front forkAluminum alloy suspension, ZOOM brand Handle bar:Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand SaddleFoldable or suspension,

comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 7 layers cartoon. Capacity: 80pcs/20ft container; 180pcs/40hq container.

male city electric bike

Product Model: JB-TDE01Z-city Electric system: Motor High speed brushless, 250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container;





216pcs/40hq container. Partial feature article

[male electric city bike](#)

Product Model: JB-TDE04Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26" x 1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container.



[nexus 3 speeds electric city bike](#)

Product Model: JB-TDF01Z-NEXUS 3 Electric system: Motor High speed brushless, from 8FUN. - 250W front drive motor. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights . Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar/stem Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy Options: Basket, Helmet. Speedmeter etc. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article

[classic electric city bicycle](#)

Product Model:JB-TDF03Z Electric system: Motor High speed brushless,250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.



 **JIABAO E-BIKE**



Aluminum alloy frame electric city bike

Product Model: JB-TDF01Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-

500W for USA & Canada. -200W for Australia.

Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with

electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle

available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match

with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC

100V, 240V, smart charger. Main components: Frame

6061# Aluminum alloy, light weight. Front fork

Aluminum alloy suspension, ZOOM brand Handle

bar: Aluminum alloy, ZOOM brand Handle stem:

Aluminum alloy, ZOOM brand Saddle Foldable or

suspension, comfortable. Brake Front Disc or V,

Rear V Brake lever Aluminum alloy, cut-off when

braking. Tires KENDA brand, 26"x1.75 Rim Double

wall aluminum alloy. Chain Rust resistant chain.

Derailleur SHIMANO TOURNEY, 6/7 speed

gears. SHIMANO NEXUS inner 3 available.

Options: Basket, Helmet. Speedmeter etc.

Mudguard / Rear rack / Chain wheel / Crank /

Pedal etc. All in aluminum alloy. Performance

and Package: Max speed: 25-32km/h Mileage: 50-

60kms per charge. Max load: 100kgs Weight: NW.

25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers

cartoon. Capacity: 98pcs/20ft container;

216pcs/40hq container.

JIABAO E-BIKE



[electric city bicycle](#)

Product Model: JB-TDF01Z Electric system: Motor High speed brushless, 250W Battery 36V / 12 Ah Lead-Acid battery. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Lights front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame Stainless steel. Saddle Foldable, comfortable. Brake Front V, Rear drum. Brake lever Aluminum alloy, cut-off when braking. Tires 24"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO, 6 speed gears. Options: Basket, tail box, Helmet. Speedmeter etc. Performance and Package: Max speed: 25-32km/h Mileage: 40kms per charge. Max load: 100kgs Weight: NW. 38kgs; GW. 45kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article

JIABAO E-BIKE



[step-through electric city bike](#)

Product Model: JB-TDF02Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights LED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed

gears. SHIMANO NEXUS inner 3 available.
 Options: Basket, Helmet. Speedmeter etc.
 Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article

 **JIABAO E-BIKE**



[ladies electric city bike](#)

Product Model: JB-TDH01Z Electric system: Motor High speed brushless, 250W Battery 36V / 12 Ah Lead-Acid battery. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Lights front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame Stainless steel. Saddle Foldable, comfortable. Brake Front V, Rear drum. Brake lever Aluminum alloy, cut-off when braking. Tires 24"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO, 6 speed gears. Options: Basket, tail box, Helmet. Speedmeter etc. Performance and Package: Max speed: 25-32km/h Mileage: 40kms per charge. Max load: 100kgs Weight: NW. 38kgs; GW. 45kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.



[steel frame electric city bike](#)

Product Model: JB-TDH02Z Electric system: Motor High speed brushless, 250W Battery 36V / 12 Ah Lead-Acid battery. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Lights front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame Stainless steel. Saddle Foldable, comfortable. Brake Front V, Rear drum. Brake lever Aluminum alloy, cut-off when braking. Tires 24"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO, 6 speed gears. Options: Basket, tail box, Helmet. Speedmeter

etc. Performance and Package: Max speed: 25-32km/h Mileage: 40kms per charge. Max load: 100kgs Weight: NW. 38kgs; GW. 45kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

[light weight ladies electric bicycle](#)

Product Model: JB-TDF03Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



JIABAO E-Vehicle Co., Ltd.

Add: No. 399, Shicheng Street, Jinhua city, Zhejiang Province, China.

Contact: Jasmine Jia

Tel: 579-83236569

Fax: 579-89185890

E-mail: sales@jb-electricbikes.com

WebSite: <http://www.jb-electricbikes.com>
