



[electric folding bike TDN05Z](#)

Product Model:JB-TDN05Z Electric system: Motor High speed brushless,250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. - 200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy. Front fork Aluminum alloy suspension, TGS brand Handle bar: ZOOM brand Handle stem: Foldable, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear V or drum. Brake lever Aluminum alloy, cut-off when braking. Tires 20"x2.125; Rim aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs; GW.28kgs / 16 inch NW.21kgs; GW.26kgs Package: 147*26*68cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.Partial feature article



[electric folding bike TDN04Z](#)

Product Model:JB-TDN04Z Electric system: Motor High speed brushless,250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. - 200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, TGS brand Handle bar: ZOOM brand Handle stem: Foldable, Aluminum alloy Saddle Foldable or suspension, comfortable. Brake Front V, Rear V. Brake lever Aluminum alloy, cut-off when braking. Tires 20"x2.125; Rim aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear

rack / Chain wheel / Crank etc. All in aluminum alloy.
Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs; GW.28kgs / 16 inch NW.21kgs; GW.26kgs
Package: 147*26*68cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.Partial feature article

[electric folding bike TDN03Z](#)

Product Model:JB-TDN03Z Electric system: Motor High speed brushless,250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. - 200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, TGS brand Handle bar: Aluminum alloy Handle stem: Foldable, aluminum alloy Saddle Foldable or suspension, comfortable. Brake Front Tektro V, Rear Tektro V . Brake lever Aluminum alloy, cut-off when braking. Tires 20"x2.125; Rim aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs; GW.28kgs Package: 147*26*68cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.Partial feature article





www.jb-electricbikes.com



JB-TDN01

[electric bike smart electric bike 200w](#)

Product Model:JB-TDN01 Aluminum Alloy electric Folding Bike Low noise and no pollution,Light weight,high quality Gained CE,EN15194 certificateThis is our good selling product,this kind of bicycle is fashion and smart,and it's best suitable for sports and fitness,Hope you'll like it ! Electric system: Motor High speed brushless, from 8FUN -180-250W Battery 36V / 10 Ah Li-ion . - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front or TGS light Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, TGS brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand, foldable Saddle Foldable or suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 / puncture-proof tyres Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy.

JIABAO E-BIKE



[16 inches foldable electric bikes](#)

Product Model:JB-TDR01Z Electric system: Motor High speed brushless,250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. - 200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: ZOOM brand Handle stem: Foldable, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear V or drum. Brake lever Aluminum alloy, cut-off when braking. Tires 20"x2.125; 16X2.125 Rim aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs;

GW.28kgs / 16 inch NW.21kgs; GW.26kgs Package: 147*26*68cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

[electric folding bicycle](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: ZOOM brand Handle stem: Foldable, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear V or drum. Brake lever Aluminum alloy, cut-off when braking. Tires 20"x2.125; 16X2.125 Rim aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs; GW.28kgs / 16 inch NW.21kgs; GW.26kgs Package: 147*26*68cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.



[20 inches folding electric bicycle](#)

Product Model:JB-TDN01Z Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: ZOOM brand Handle stem: Foldable, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear V or drum. Brake lever Aluminum alloy, cut-off when braking. Tires 20"x2.125; 16X2.125 Rim aluminum alloy. Chain Rust resistant chain. Derailleur



SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs; GW.28kgs / 16 inch NW.21kgs; GW.26kgs Package: 147*26*68cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

20 inches electric folding bike

Product Model:JB-TDN02Z Electric system: Motor High speed brushless,250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. - 200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: ZOOM brand Handle stem: Foldable, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear V or drum. Brake lever Aluminum alloy, cut-off when braking. Tires 20"x2.125; 16X2.125 Rim aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs; GW.28kgs / 16 inch NW.21kgs; GW.26kgs Package: 147*26*68cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.Partial feature article



JIABAO E-Vehicle Co.,Ltd.
Add: No.399,Shicheng Street,Jinhua city,Zhejiang Province,China.
Contact: Jasmine Jia
Tel: +86-579-83236569
Fax: +86-579-89185890
E-mail:sales@jb-electricbikes.com
WebSite: <http://www.jb-electricbikes.com>