

[China electric mountain bikes,mountain electric bikes,ebike motors,electric motor bicycles,kids electric motorbikes Manufacturer, Supplier, Factory, Exporter in china](#)

 **JIABAO E-BIKE**



26 inch electric mountain bike

Product Model:TDE03Z Electric system: Motor High speed brushless,250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake Lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article



JB-TDE01Z-350W

Product Model: JB-TDE01Z-350 Electric system:
Motor High speed brushless, 350W, from 8FUN.
Battery 36V / 10 Ah to 16Ah Li-ion or Li -
Polymer. -36V / 10 Ah LiFePO4. - with
electric protection circuit. PAS 1:1 pedal
assistant system . Speed sensor. - Throttle
available. Controller 3 speed available LOW -
MED - HIGH. Display High quality display, match
with controller. management of the 3-speed,
Pas system and LED lights. Lights L ED light for
front and rear. Charger AC
100V, 240V, smart charger. Main components: Frame
6061# Aluminum alloy, light weight. Front fork
Aluminum alloy suspension, ZOOM brand Handle
bar: Aluminum alloy, ZOOM brand Handle stem:
Aluminum alloy, ZOOM brand Saddle Foldable or
suspension, comfortable. Brake Front Disc or V,
Rear V Brake lever Aluminum alloy, cut-off when
braking. Tires KENDA brand, 26"x1.95 Rim Double
wall aluminum alloy. Chain Rust resistant chain.
Derailleur SHIMANO TOURNEY, 6/7 speed
gears. Options: Basket, Helmet. Speedmeter
etc. Rear rack / Chain wheel / Crank / Pedal
etc. All in aluminum alloy. Performance and
Package: Max speed: 25-32km/h Mileage: 50-60kms
per charge. Max load: 100kgs Weight: NW. 25kgs;
GW. 30kgs Package: 147*26*74cm, 7 layers carton.
Capacity: 98pcs/20ft container; 216pcs/40hq
container.

 **JIABAO E-BIKE**



electric motor bicycle

Product Model: JB-TDE02Z-2 Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFeP04. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article

 **JIABAO E-BIKE**



mountain electric bicycle

Product Model: JB-TDE02Z-1 Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: LED lamp, Tool kits, Helmet, Speedmeter etc. Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article

 **JIABAO E-BIKE**



electric sport bicycle

Product Model: JB-TDE01Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFeP04. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article



electric sport bike

Product Model: JB-TDE01Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFeP04. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article

 **JIABAO E-BIKE**



mountain electric bike

Product Model: JB-TDE01Z-2 Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFeP04. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article



[electric mountain bike](#)

Product Model: JB-TDE01Z-2 Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFeP04. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

JIABAO E-BIKE



[mountain e-bike](#)

Product Model: JB-TDE03Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights LED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

[electric bikes](#), [electric bike](#), [ebike bicycle](#), [electric bikes type](#), [electric mountain bikes](#), [mountain electric bikes](#), [ebike motors](#), [electric motor bicycles](#), [kids electric motorbikes](#), [electric city bikes](#), [ebike speed](#), [city electric bikes](#), [electric folding bikes](#), [folding ebike](#), [folding electric bikes](#), [folding electric mountain bike](#), [fold electric bike](#), [mens electric bikes](#), [mens electric bike](#), [ladies electric bike](#), [ladies electric bikes](#), [hot electric bikes](#), [step through motorbike](#), [electric motor mini bikes](#), [latest electric bikes](#), [heavy duty e-bike](#), [latest electric motor bicycle](#), [US standard electric bikes](#), [electric bikes US standard](#), [EU standard electric bikes](#), [European Standard Electric Bikes](#), [Electric bicycles Size](#), [Electric bicycles](#), [bicycle electric](#), [electric bicycle motors](#), [16 hybrid electric bikes](#), [16" PAS electric hybrid bicycle](#), [16" GAS electric hybrid bicycle](#), [20 hybrid electric bikes](#), [20" PAS electric hybrid bicycle](#), [20" GAS electric hybrid bicycle](#), [24 hybrid electric bikes](#), [24" PAS electric hybrid bicycle](#), [24" GAS electric hybrid bicycle](#), [26 hybrid electric bikes](#), [26" PAS electric hybrid bicycle](#), [26" GAS electric hybrid bicycle](#), [28 hybrid electric bikes](#), Does not have the similar key word temporarily! [electric bikes frame](#), [bicycle frames](#), [Alloy frame electric bikes](#), [cheap electric bikes](#), [electric powered bikes](#), [high power electric bikes](#), [bike powered electricity](#), [steel frame electric bikes](#), Does not have the similar key word temporarily! [steel plastic frame](#), [aluminum alloy light e-vehicle](#), [electric bikes battery](#), Does not have the similar key word temporarily! [Li-ion battery](#), [lead acid battery powered motorbikes](#), [battery powered bikes](#), [kids battery powered bikes](#), [Li-Polymer battery](#), [high quality electric bikes](#), [LiFePO4 battery](#), [lithium bike battery](#), [SLA battery](#), Does not have the similar key word temporarily! [electric bikes price](#), [above 500 dollar](#), Does not have the similar key word temporarily! [400-500 dollar](#), Does not have

the similar key word temporarily![300-400 dollar](#), Does not have the similar key word temporarily![200-300 dollar](#), Does not have the similar key word temporarily![Electric bike fittings](#), [mountain bike parts](#) , [Electric bike parts](#) , [electric moped](#) , [e-bike conversion kit](#), [electric assist bikes](#) , [ebike conversion kits](#) , [ebike kits](#) , [e-bike accessories](#), [ebike battery](#) , [ebike batteries](#) , [ebike charger](#) , [optional e-bike fittings](#), [e-bike fittings](#) , [Electric scooter bikes](#), [moped electric scooter bike](#) , [ebike scooter](#) , [electric ebike](#) , [electric scooters bikes](#) , [electric bikes scooters](#) , [36 Volt series](#), [12 volt battery](#) , [e bike 36 volt](#) , [36 volt ebike](#) , [36 volt bike](#) , [36 volt electric bike](#) , [48 Volt series](#), [48 volt bike](#) , [48 volt electric bike](#) , [crystalite 48 volt electric bike](#) , [Electric tricycle](#), [electric tricycles](#) , [folding electric tricycle](#) , [adult electric tricycle](#) , [electric recumbent tricycle](#) , [electric Pedicabs](#), [electric tricycle pedicab](#) , [electric tricycle pedicab trike](#) , [leisure series](#), [leisure series bike](#) , [freight series](#), [freight series bikes](#) , [Electric motorbikes](#), [ebike motors](#) , [electric motor bikes](#) , [ebike motor](#) , [kids electric motorbikes](#) ,

JIABAO E-Vehicle Co., Ltd.

Add: No. 399, Shi cheng Street, Jinhua city, Zhejiang Province, China.

Contact: Miss Ivy Wang

Tel: 579-83236566

Fax: 579-83236569

E-mail: sales@jb-electricbikes.com

WebSite: <http://www.jb-electricbikes.com>
