

 **JIABAO E-BIKE**



[electric assist bicycle TDE01Z](#)

Product Model:TDE01Z Electric system: Motor High speed brushless, 200W, 250W, 350W, 500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, TGS brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front ZOOM Disc, Rear Tektro V (Tektro Novela disc available) Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article



[electric mountain bike TDE05Z](#)

Product Model:TDE05Z Electric system: Motor High speed brushless, 200-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 110-240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, from TGS (RST available) Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front ZOOM Disc , Rear Tektro V (Tektro Novela available) Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article

 **JIABAO E-BIKE** EN15194



[26 inch electric mountain bike](#)

Product Model:TDE03Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article



JB-TDE01Z-350W

Product Model: JB-TDE01Z-350 Electric system: Motor High speed brushless, 350W, from 8FUN. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container.

JIABAO E-BIKE



electric motor bicycle

Product Model: JB-TDE02Z-2 Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article



www.jb-electricbikes.com



JB-TDE02Z

mountain electric bicycle

Product Model: JB-TDE02Z-1 Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: LED lamp, Tool kits, Helmet, Speedmeter etc. Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article

 JIABAO E-BIKE



electric sport bicycle

Product Model: JB-TDE01Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article



electric sport bike

Product Model: JB-TDE01Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article



佳宝车业
JIABAO VEHICLE


www.jb-electricbikes.com



JB-TDE01Z

mountain electric bike

Product Model: JB-TDE01Z-2 Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container. Partial feature article

 JIABAO E-BIKE



electric mountain bike

Product Model: JB-TDE01Z-2 Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.95 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

JIABAO E-BIKE



mountain e-bike

Product Model: JB-TDE01Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

JIABAO E-Vehicle Co., Ltd.

Add: No. 399, Shicheng Street, Jinhua city, Zhejiang Province, China.

Contact: Jasmine Jia

Tel: 579-83236569

Fax: 579-89185890

E-mail: sales@jb-electricbikes.com

WebSite: <http://www.jb-electricbikes.com>