

[China folding electric bikes, Manufacturer, Supplier, Factory, Exporter in china](#)



[high quality electric folding bike](#)

Product Model:JB-TDR01Z-2 Electric system Main components Motor Light weight high speed Frame 6061 Al alloy brushless hub motor Tyres 16"x2.125,KENDA brand 180W-250W for European Rim Al alloy 250W-500W for USA & Canada Front fork Al alloy suspension,ZOOM 200W for Australia & N.Z. Front brake "V" brake Battery 24V/8Ah Lithium battery, Rear brake Drum brake with electric protection circuit Speed gears SHIMANO 6 speed gears Derailleur SHIMANO PAS 1:1 intelligent pedal assistant system Handle bar Al alloy With torque sensor controller. Stem Al alloy Controller 24V intelligent PAS, brushless Brake lever Al alloy,cut-off when braking Charger 100V-240V, 2 amps smart charger Chain Rust resistant chain Charge time:4-6 hours Chain wheel Al alloy Throttle Twist intelligent speed control Mudguard Al alloy Performance Rear rack Al alloy Max.speed 25km/h(EU), 20mph(USA&Canada) Saddle Soft Comfortable Range 35KMS with pure electric Seat post Al alloy suspension 50KMS with PAS Pedal Plastic with reflector Max load 100KGS Options basket, Lock, tool kit, Weight N.W:21.0KGS, G.W:24.0KGS Speed meter Dimension 148*28*78cm Capacity 108pcs/20ft, 216/40HQ container



[16 inches foldable electric bikes](#)

Product Model:JB-TDR01Z Electric system Main components Motor Light weight high speed Frame 6061 Al alloy brushless hub motor Tyres 16"x2.125,KENDA brand 180W-250W for European Rim Al alloy 250W-500W for USA & Canada Front fork Al alloy suspension,ZOOM 200W for Australia & N.Z. Front brake "V" brake Battery 24V/8Ah Lithium battery, Rear brake Drum brake with electric protection circuit Speed gears SHIMANO 6 speed gears Derailleur SHIMANO PAS 1:1 intelligent pedal assistant system Handle bar Al alloy With torque sensor controller. Stem Al alloy Controller 24V intelligent PAS, brushless Brake lever Al alloy,cut-off when braking Charger 100V-240V, 2 amps smart charger Chain Rust resistant chain Charge time:4-6 hours Chain wheel Al alloy Throttle Twist intelligent speed control Mudguard Al alloy Performance Rear rack Al alloy Max.speed 25km/h(EU), 20mph(USA&Canada) Saddle Soft Comfortable Range 35KMS with pure electric Seat post Al alloy suspension 50KMS with PAS Pedal Plastic with reflector Max load 100KGS Options basket, Lock, tool

kit, Weight N.W:21.0KGS, G.W:24.0KGS Speed meter
Dimension 148*28*78cm Capacity 108pcs/20ft,
216/40HQ container



[electric folding bicycle](#)

[20 inches folding electric bicycle](#)

Product Model:JB-TDN01Z Electric system Main components Motor Light weight high speed Frame 6061 Al alloy brushless hub motor Tyres 20"x2.125,KENDA brand 180W-250W for European Rim Al alloy 250W-500W for USA & Canada Front fork Al alloy suspension,ZOOM 200W for Australia & N.Z. Front brake "V" brake Battery 24V/8Ah Lithium battery, Rear brake "V" brake with electric protection circuit Speed gears SHIMANO 6 speed gears Derailleur SHIMANO PAS 1:1 intelligent pedal assistant system Handle bar Al alloy With torque sensor controller. Stem Al alloy Controller 24V intelligent PAS, brushless Brake lever Al alloy,cut-off when braking Charger 100V-240V, 2 amps smart charger Chain Rust resistant chain Charge time:4-6 hours Chain wheel Al alloy Throttle Twist intelligent speed control Mudguard Al alloy Performance Rear rack Al alloy Max.speed 25km/h(EU), 20mph(USA&Canada) Saddle Soft Comfortable Range 35KMS with pure electric Seat post Al alloy suspension 50KMS with PAS Pedal Plastic with reflector Max load 100KGS Options basket, Lock, tool kit, Weight N.W:23.0KGS, G.W:26.0KGS Speed meter Dimension 148*28*78cm Capacity 108pcs/20ft, 216/40HQ container





[20 inches electric folding bike](#)

Product Model:JB-TDN02Z Electric system Main components Motor Light weight high speed Frame 6061 Al alloy brushless hub motor Tyres 20"x2.125,KENDA brand 180W-250W for European Rim Al alloy 250W-500W for USA & Canada Front fork Al alloy suspension,ZOOM 200W for Australia & N.Z. Front brake "V" brake Battery 24V/8Ah Lithium battery, Rear brake "V" brake with electric protection circuit Speed gears SHIMANO 6 speed gears Derailleur SHIMANO PAS 1:1 intelligent pedal assistant system Handle bar Al alloy With torque sensor controller. Stem Al alloy Controller 24V intelligent PAS, brushless Brake lever Al alloy,cut-off when braking Charger 100V-240V, 2 amps smart charger Chain Rust resistant chain Charge time:4-6 hours Chain wheel Al alloy Throttle Twist intelligent speed control Mudguard Al alloy Performance Rear rack Al alloy Max.speed 25km/h(EU), 20mph(USA&Canada) Saddle Soft Comfortable Range 35KMS with pure electric Seat post Al alloy suspension 50KMS with PAS Pedal Plastic with reflector Max load 100KGS Options basket, Lock, tool kit, Weight N.W:23.0KGS, G.W:26.0KGS Speed meter Dimension 148*28*78cm Capacity 108pcs/20ft, 216/40HQ container



[steel frame folding electric bike](#)

Product Model:JB-TDN03Z Electric system Main components Motor Light weight high speed Frame Steel brushless hub motor Tyres 20"x2.125 180W-250W for European Rim 250W-500W for USA & Canada Front fork Suspension 200W for Australia & N.Z. Front brake "V" brake Battery 24V/12Ah Lead Acid battery, Rear brake "V" brake with electric protection circuit Speed gears SHIMANO 6 speed gears Derailleur SHIMANO PAS 1:1 intelligent pedal assistant system Handle bar With torque sensor controller. Stem Controller 24V intelligent PAS, brushless Brake lever cut-off when braking Charger 100V-240V, 2 amps smart charger Chain Rust resistant chain Charge time:4-6 hours Chain wheel Throttle Twist intelligent speed control Mudguard Performance Rear rack Max.speed 25km/h(EU), 20mph(USA&Canada) Saddle Soft Comfortable Range 30KMS with pure electric Seat post Suspension >40KMS with PAS Pedal Plastic with reflector Max load 100KGS Options basket, Lock, tool kit, Weight N.W:30KGS, G.W:33KGS Speed meter; Dimension 148*28*78cm Capacity 108pcs/20ft, 216/40HQ container

[Electric bikes](#), [electric bike](#), [electric bicycle](#), [electric bicycles](#), [electric mountain bikes](#), [mountain electric bikes](#), [city electric bikes](#), [ladies electric bike](#), [folding electric bike](#), [folding electric bikes](#), [hot electric motor bikes](#), [latest electric motor bikes](#), [heavy duty e-bike](#), [US standard electric bikes](#), [EU standard electric bikes](#), [Electric bicycles Size](#), [16 electric hybrid bicycle](#), [16" PAS electric hybrid bicycle](#), [16" GAS electric hybrid bicycle](#), [20 electric hybrid bicycle](#), [20" PAS electric hybrid bicycle](#), [20" GAS electric hybrid](#)

[bicycle](#) , [24 electric hybrid bicycle](#),[24" PAS electric hybrid bicycle](#) , [24" GAS electric hybrid bicycle](#) , [26 electric hybrid bicycle](#),[26" PAS electric hybrid bicycle](#) , [26" GAS electric hybrid bicycle](#) , [Electric bicycles](#),[cheap electric power bikes](#),[steel frame electric motor bikes](#),[lead acid battery powered bikes](#),[high quality electric bicycles](#),[aluminum alloy LEV](#),[lithium Battery powered bikes](#),[Electric bike fittings](#),[Electric bike parts](#) , [e-bike conversion kit](#),[electric assist bikes](#) , [e-bike accessories](#),[optional e-bike fittings](#),[Electric scooter bikes](#) ,[36 Volt series](#),[48 Volt series](#),[Electric tricycle](#),[electric Pedicabs](#),[leisure series](#),[freight series](#),[Electric motorbikes](#),

JIABAO E-Vehicle Co.,Ltd.

Add: No.1868 Jinqu Road,Wucheng, Jinhua City,Zhejiang Province,China

Contact: Miss Ivy Wang

Tel: +86-579-83236566

Fax: +86-579-83236569

E-mail:sales@jb-electricbikes.com

WebSite: <http://www.jb-electricbikes.com>
