

 **JIABAO E-BIKE**



[NEXUS 3 electric bike](#)

Electric system: Motor High speed brushless, from 8FUN. -180-250W Battery 36V / 10 Ah Li-ion . - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 7 layers cartoon. Capacity: 80pcs/20ft container; 180pcs/40hq container.

JIABAO E-BIKE



[28inch ladies electric bike](#)

Electric system: Motor High speed brushless, from 8FUN. -180-250W Battery 36V / 10 Ah Li-ion . - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 7 layers cartoon. Capacity: 80pcs/20ft container; 180pcs/40hq container.

JIABAO E-BIKE



[28 inch electric city bike2](#)

Product Model:TDB02Z Electric system: Motor High speed brushless, from 8FUN. -180-250W Battery 36V / 10 Ah Li-ion . - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or

suspension, comfortable. Brake Front V, Rear Roller. Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 700x45 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 7 layers cartoon. Capacity: 80pcs/20ft container; 180pcs/40hq container.

[electric sport bike-TDE03Z](#)

Product Model:TDE03Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers

 **JIABAO E-BIKE**



cartoon. Capacity: 98pcs/20ft container;
216pcs/40hq container. Partial feature
article

 **JIABAO E-BIKE**



[electric mountain bicycle](#)

Product Model: JB-TDE01Z-2 Electric system: Motor
High speed brushless, 250W-500W, from 8FUN. -
250W for Europe. -250W-
500W for USA & Canada. -200W for Australia.
Battery 36V / 10 Ah to 16Ah Li-ion or Li-
Polymer. -36V / 10 Ah LiFePO4. - with
electric protection circuit. PAS 1:1 pedal
assistant system. Speed sensor. - Throttle
available. Controller 3 speed available LOW -
MED - HIGH. Display High quality display, match
with controller. management of the 3-speed,
Pas system and LED lights. Lights L ED light for
front and rear. Charger AC
100V, 240V, smart charger. Main components: Frame
6061# Aluminum alloy, light weight. Front fork
Aluminum alloy suspension, ZOOM brand Handle
bar: Aluminum alloy, ZOOM brand Handle stem:
Aluminum alloy, ZOOM brand Saddle Foldable or
suspension, comfortable. Brake Front Disc or V,
Rear V Brake lever Aluminum alloy, cut-off when
braking. Tires KENDA brand, 26"x1.75 Rim Double
wall aluminum alloy. Chain Rust resistant chain.
Derailleur SHIMANO TOURNEY, 6/7 speed
gears. SHIMANO NEXUS inner 3 available.
Options: Basket, Helmet. Speedmeter etc.
Mudguard / Rear rack / Chain wheel / Crank /
Pedal etc. All in aluminum alloy. Performance
and Package: Max speed: 25-32km/h Mileage: 50-
60kms per charge. Max load: 100kgs Weight: NW.
25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers
cartoon. Capacity: 98pcs/20ft container;
216pcs/40hq container.

JIABAO E-BIKE



20 inches latest electric motor bike

Product Model: JB-TDF01Z-2 Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: ZOOM brand Handle stem: Foldable, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear V or drum. Brake lever Aluminum alloy, cut-off when braking. Tires 20"x2.125; 16X2.125 Rim aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs; GW.28kgs / 16 inch NW.21kgs; GW.26kgs Package: 147*26*68cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

JIABAO E-BIKE



latest electric motor bike

Product Model: JB-TDF01Z-2 Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container.

JIABAO E-Vehicle Co., Ltd.

Add: No. 399, Shicheng Street, Jinhua city, Zhejiang Province, China.

Contact: Jasmine Jia

Tel: 579-83236569

Fax: 579-89185890

E-mail: sales@jb-electricbikes.com

WebSite: <http://www.jb-electricbikes.com>